ThinkCentre M630e Tiny 10YM0009GE

WithDraw

0

Product

ThinkCentre M630e Tiny

Region

WE

Country Germany

Machine Type

10YM

TopSeller TopSeller

Processor

Core i3-8145U (2C / 4T, 2.1 / 3.9GHz, 4MB)

vPro No

. . .

Graphics

Integrated Intel UHD Graphics 620

Monitor Cable

None

Memory

1x 4GB DDR4-2666

Storage

128GB SSD 2.5" SATA6Gb/s

Optical

None

WLAN + Bluetooth

None

Ethernet

Integrated

Optional Rear Ports

None

Chassis Intrusion Switch

Chassis Intrusion Switch

Kensington Cable Lock

None

Adapter Cage

None

Toolless Chassis Screw

None

Speaker

1.5Wx1

Dust Filter

None

VESA Mount

None

Stand

None

Keyboard / Mouse

USB / USB

Power Supply

65W Adapter

TUV Low Noise

None

Operating System

Windows 10 Pro 64

Warranty

1-year, Onsite

End of Support

2025-04-12

Announce Date

2019-03-12



WWW.LENOVO.COM

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.



http://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2019. All rights reserved.





ThinkCentre M630e Tiny Platform Specifications

Processor	Intel® Pentium®, or 8th Generation Intel Core™ i3 / i5 Processor						Manageability	None				
	Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics	Security chip Security features	Firmware TPM 2.0, irSecurity slot (in real	ntegrated in chipse		control	
	Pentium Gold 5405U	2/4	2.3G	2 MB	DDR4-2133	UHD 610		Kensington® Micros	Saver® cable)	r for optional Baver® cable) Boot sequence control Boot without keyboard and m		
	Core i3-8145U	2/4	2.1G / 3.9G	4 MB	DDR4-2400	UHD 620	1	 Chassis intrusion switch Individ 		 Individual USB 	dual USB port disablement	
	Core i5-8265U	4/8	1.6G / 3.9G	6 MB	DDR4-2400	UHD 620		 Power-on password Administrator password Smart USB protection, allows keybox mouse only, blocks all storage device 				
Memory	16GB max, DDR4-2666*, one 260-pin SO-DIMM sockets, non-ECC * System automatically clocks down for the processors with lower memory controller						Keyboard	Hard disk password Some: Lenovo Calliope Keyboard (USB connector), black				
Storage	Some: Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm or 7200 rpm Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" Some: M.2 SSD (2280) / PCle NVMe, PCle 3.0 x 4, 32Gb/s Some: M.2 SSD (2242) / PCle NVMe, PCle 3.0 x 2, 16Gb/s One onboard SATA 6.0Gb/s connector						Mouse	Some: Lenovo Calliope Neyboard (USB connector), black				
Onboard SATA							Mechanical	Tiny (1L), black color; metal case Optional dust filter One 2.5" bay for HDD/SSD, two M.2 slots (one for WLAN, one for M.2 SSD)				
Graphics	Intel HD Graphics 610/620 in processor, uses main memory, DirectX® 12, one DisplayPort™, one HDMI, up to 2 independent displays; Max resolution: 4096x2304 (DP)@60Hz; 4096x2304 (HDMI)@24Hz Optional DP to VGA dongle or DP to HDMI 1.4 dongle						-		Dimensions (WxDxH) Weight (Approx.)			
Graphics								Tiny only	7.05" X 7.20" X 1.36" 2.91 lb (1.32 kg), 179mm X 182.9mm X 34.5mm vary by config		2.91 lb (1.32 kg),	
Monitor cable							VESA mount	None				
Chipset	Intel SoC (System on Chip) platform						Floor Stand Optional system floor stand for vertical orientation					
Front ports* (Std.) One USB 3.1 Gen1, one USB 3.1 Type-C Gen 1, one microphone (3.5mm),						Power supply	Some: 65 watts adapter, autosensing, 88% PSU					
	one headphone / microphone combo jack (3.5mm) Rear ports* (Std.) Two USB 3.1 Gen1, two USB 2.0, one ethernet (RJ-45), one DisplayPort, one HDM Rear ports* (Opt.) None							Some: 1-year, depot service / service upgrades available Some: 1-year, limited onsite service / service upgrades available				
	* Depending on many factors, actual data transfer speed may be lower than theoretical speed						Preload	Preload Preloaded operating system Some: Windows® 10 Pro 64-bit Some: Windows 10 Home 64-bit Preloaded applications (only some listed) Lenovo Vantage Microsoft Office preloaded; purchase a product key to activate				
Audio support	Realtek ALC233VB / internal speaker (1.5 watt)						1					
WLAN	Wi-Fi + Bluetooth 4.2 combo adapter, 2x2 Some: Bluetooth 4.2 wireless, integrated in Wi-Fi + BT combo adapter											
								LinkedIn				
							Environment	ENERGY STAR® 7.0, ErP Lot 3, TCO, RoHS-compliant, WEEE, REACH				
Divista - #5							MIL-SPEC test	Coming soon				
Bluetooth Ethernet Ethernet (Opt.)							Accessories	For compatible accessories, please go to http://smartfind.lenovo.com				

Note: The specifications above may not be available in all regions.

















